

VPLX.EX15297 Valves, Alarm

Page Bottom

Valves, Alarm

See General Information for Valves, Alarm

RAPIDROP GLOBAL LTD EX15297

RUTLAND BUSINESS PARK NEWARK RD PETERBOROUGH, PE1 5WA UNITED KINGDOM

Model B, 3, 4, 6, 8 in. size for vertical installation.

Model D, 4, 6, 8 in. size for vertical installation and suitable for use with Listed rubber gasketed fittings on system side.

Model E, 4, 6 in. size for vertical installation for use with Listed rubber gasketed fittings on the system and supply sides.

Models B, D, provided with retarding chamber Model E for sizes 3, 4, 6, 8 in. for variable pressure service; water motor and gong, Model E.

Note: Valves intended for horizontal installation bear word "Horizontal" on cover plate.

Alarm valve, Model A, 3, 4, 6 and 8 in. size for vertical installation only may be provided with constant pressure trim or variable pressure trim for use with Model RA rated chamber and Model EA water motor and gong.

Model C, 3, 4, 6 and 8 in. size for rated pressure no exceeding 250PSI for vertical installation only may be provided with constant pressure trim or variable pressure trim for use with Model RA retard chamber and Model EA water motor and gong, with the end connections: flanged-flanged, flanged-grooved and grooved-grooved.

Trademark and/or Tradename:

Last Updated on 2017-10-05

Questions? Terms of Use Print this page Page Top

@ 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a nonmisleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".