



# Rapidrop Global Ltd

Residential and Commercial

Concealed, Side-Wall and Flush Pendent Sprinkler Range





# Residential Sprinklers

## Flat Concealed Pendent Sprinkler

### RD207 / RD208 BS 9251:2014 Compliant



## The Unique Protective Cap Provides Protection From Start To Finish




The unique protective cap is designed to stay on throughout the entire installation, ensuring the sprinkler head remains protected at all times, this saves a great amount of time as it eliminates the need to remove or restore the protective cap. No more time and money wasted on returning to a job site to secure flimsy caps if they have fallen off or replace damaged sprinkler heads.

The tolerance limit provides a visual indication as to where the sprinkler head should sit within the ceiling, this removes the need for measuring or removal of the cap. Installing the sprinkler head within the tolerance limit will ensure the cover plate sits flush against the ceiling.



Recyclable Cap


Socket for wrench



The magnetic cover plate installation tool ensures effortless installation in areas where ceilings may be difficult to reach.



The cap removal tool provides quick and easy removal of the protective cap



### RD207 / RD208 Residential Sprinkler

- UL listed
- RD207 K3.0 (K43), 1/2" NPT
- RD208 K4.9 (K70), 1/2" NPT
- Compact size: Lay flat 68mm and 83mm cover plate available from stock
- Standard white, black & chrome cover plates available from stock
- Cover plates can be customised, choose any RAL colour or select a wood grain finish
- Cover plate easy to install and adjust, simply push/twist on and off






# Residential Sprinklers

## Flush Horizontal Side-Wall Sprinkler

### RD203 BS 9251:2014 Compliant



## The Unique Protective Cap Provides Protection From Start To Finish




The unique protective cap is designed to stay on throughout the entire installation, ensuring the sprinkler head remains protected at all times, this also saves a great amount of time as it eliminates the need to remove and restore the protective cap. No more time and money wasted on returning to a job site to secure flimsy caps if they have fallen off or replace damaged sprinkler heads.



Recyclable Cap

Socket for wrench



The cap removal tool provides quick and easy removal of the protective cap



### RD203 Residential Sprinkler

- UL Listed
- K4.2 (K60), 1/2" NPT
- Flush Horizontal Side-Wall Sprinkler
- Standard white, black & chrome available from stock
- Optional RAL colour escutcheon plates





# Residential Sprinklers

## Flat Concealed Pendent Sprinkler

### RD205 BS 9251:2014 Compliant




## The Unique Protective Cap Provides Protection From Start To Finish




The unique protective cap is designed to stay on throughout the entire installation, ensuring the sprinkler head remains protected at all times, this saves a great amount of time as it eliminates the need to remove or restore the protective cap. No more time and money wasted on returning to a job site to secure flimsy caps if they have fallen off or replace damaged sprinkler heads.

The tolerance limit provides a visual indication as to where the sprinkler head should sit within the ceiling, this removes the need for measuring or removal of the cap. Installing the sprinkler head within the tolerance limit will ensure the cover plate sits flush against the ceiling.



Socket for wrench



The magnetic cover plate installation tool ensures effortless installation in areas where ceilings may be difficult to reach.



The cap removal tool provides quick and easy removal of the protective cap

### RD205 Residential Sprinkler

- UL Listed
- K4.9 (K70), 1/2" NPT
- Compact size: Lay flat 60mm cover plate is the smallest approved concealed on the market
- Standard white, black & chrome cover plates available from stock
- Cover plates can be customised, choose any RAL colour or select a wood grain finish
- Cover plate easy to install and adjust, simply push/twist on and off





# Commercial Sprinklers Flush Pendent Sprinkler RD102



## The Unique Protective Cap Provides Protection From Start To Finish



The unique protective cap is designed to stay on throughout the entire installation, ensuring the sprinkler head remains protected at all times, this also saves a great amount of time as it eliminates the need to remove and restore the protective cap. No more time and money wasted on returning to a job site to secure flimsy caps if they have fallen off or replace damaged sprinkler heads

The tolerance limit provides a visual indication as to where the sprinkler head should sit within the ceiling, this removes the need for measuring or removal of the cap. Installing the sprinkler head within the tolerance limit will ensure the sprinkler head and escutcheon plate sit flush against the ceiling, giving the perfect finish



Recyclable Cap

Socket for wrench

The cap removal tool provides quick and easy removal of the protective cap



### RD102 Commercial Sprinkler

- LPCB and CE approved
- K5.6 (K80), 1/2" NPT
- Flush pendent sprinkler
- Quick response
- Standard white, black & chrome available from stock
- Optional RAL colour escutcheon plates





# Commercial Sprinklers Flush Pendent Sprinkler RD101



Cert/LPCB/ ref. 586a/01




## The Unique Protective Cap Provides Protection From Start To Finish




The unique protective cap is designed to stay on throughout the entire installation, ensuring the sprinkler head remains protected at all times, this also saves a great amount of time as it eliminates the need to remove and restore the protective cap. No more time and money wasted on returning to a job site to secure flimsy caps if they have fallen off or replace damaged sprinkler heads

The tolerance limit provides a visual indication as to where the sprinkler head should sit within the ceiling, this removes the need for measuring or removal of the cap. Installing the sprinkler head within the tolerance limit will ensure the sprinkler head and escutcheon plate sit flush against the ceiling, giving the perfect finish



Recyclable Cap

Socket for wrench



The cap removal tool provides quick and easy removal of the protective cap



### RD101 Commercial Sprinkler

- LPCB and CE approved
- K5.6 (K80), 1/2" NPT
- Flush pendent sprinkler
- Quick response
- Standard white, black & chrome available from stock
- Optional RAL colour escutcheon plates





# Commercial Sprinklers

## Flat Concealed Pendent Sprinkler

### RD105 / RD107




## The Unique Protective Cap Provides Protection From Start To Finish




The unique protective cap is designed to stay on throughout the entire installation, ensuring the sprinkler head remains protected at all times, this saves a great amount of time as it eliminates the need to remove or restore the protective cap. No more time and money wasted on returning to a job site to secure flimsy caps if they have fallen off or replace damaged sprinkler heads.

The tolerance limit provides a visual indication as to where the sprinkler head should sit within the ceiling, this removes the need for measuring or removal of the cap. Installing the sprinkler head within the tolerance limit will ensure the cover plate sits flush against the ceiling, giving the perfect finish



Recyclable Cap

Socket for wrench



The magnetic cover plate installation tool ensures effortless installation in areas where ceilings may be difficult to reach.



The cap removal tool provides quick and easy removal of the protective cap

### RD105 / RD107 Commercial Sprinkler

- RD105 - FM Approved, UL Listed
- RD107 - LPCB, CE Approved
- K5.6 (K80), 1/2" NPT
- Compact size: Lay flat 60mm cover plate is the smallest approved concealed on the market
- Standard white, black & chrome cover plates available from stock
- Cover plates can be customised, choose any RAL colour or select a wood grain finish
- Cover plate easy to install and adjust, simply push/ twist on and off





# Rapidrop Global Ltd



## Rapidrop: A Global company, British manufactured

British based manufacturer of fire sprinkler system products with international sales and distribution serving the needs of the fire detection and suppression industry worldwide.

Europe	Saudi Arabia	Middle East & North Africa
<p><b>Rapidrop Global Ltd</b> Head Office Rutland Business Park Newark Road Peterborough PE1 5WA United Kingdom</p> <p>Telephone: +44 (0)1733 847 510 Facsimile: +44 (0)1733 553 958 E-mail: rapidrop@rapidrop.com</p>	<p><b>Sales Office</b> Imam Saud Road Cross Abu Berker Aj Siddiq PO BOX 54092 Riyadh 11514 Kingdom of Saudi Arabia</p> <p>Telephone: +966 (0) 114 549 255 E-mail: saudi@rapidrop.com</p>	<p><b>Rapidrop Middle East Trading LLC</b> P.O Box 232031 Dubai - UAE Telephone: +971 4 885 6671 Facsimile: +971 4 885 6672 Sharjah - Sales Office Telephone : +971 6 556 2669 Abu Dhabi - Sales Office Telephone : + 971 2 5528228 E-mail: uae@rapidrop.com</p>
Qatar	India	Asia Pacific
<p><b>Rapidrop Qatar LLC</b> Salwa Road P.O.Box 17481 Doha Qatar</p> <p>Telephone: +974 4 0161 484/482 Facsimile: +974 4 0161 483 E-mail: qatar@rapidrop.com</p>	<p><b>Rapidrop India Pvt Ltd</b> Level 13, Office No. 1348 Platinum Techno Park Plot No.17/18, Sector -30A Vashi, Navi Mumbai, 400705 India</p> <p>Telephone: +91 22 6181 8348 Facsimile: +91 22 6121 4952 E-mail: india@rapidrop.com</p>	<p><b>Rapidrop International</b> P.O Box 232031 Dubai - UAE</p> <p>Telephone: +971 6 566 2773 Facsimile: +971 4 885 6672 E-mail: rdi@rapidrop.com</p>
South Africa	Approvals	Social Media
<p><b>Rapidrop Global Ltd</b> Talanalaan 281 Villieria Pretoria 0186 South-Africa</p> <p>Telephone: +27(0)727601627 E-mail: rapidrop@rapidrop.com</p>	<p>The Rapidrop range includes products which have internationally recognised approvals and listings from FM/UL/VDS and LPCB.</p> <p>    </p> <p><small>Assessed to ISO 9001:2008 Cert.LPCB ref. 556</small></p>	<p>www.rapidrop.com</p> <p>   </p>

201809